JAPANESE JOURNAL OF MICROBIOLOGY

Vol. 15

1971

Japan Bacteriological Society and Society of Japanese Virologists

JAPANESE JOURNAL OF MICROBIOLOGY

In conformance with the aims of the Japan Bacteriological Society and the Society of Japanese Virologists, this Journal is devoted to the world-wide dissemination of advanced knowledge in bacteriology, virology and related fields, covering genetic biology, clinical biochemistry, mycology, immunochemistry, carcinology, biophysical chemistry and chemical pharmacology.

EDITORIAL BOARD

Daizo USHIBA, Editor-in-Chief Keio University School of Medicine, Tokyo
Konosuke FUKAI Research Institute for Microbial Diseases, Osaka University, Osaka
Akira GHODA The Kitasato Institute, Tokyo
Reisaku KONO National Institute of Health, Tokyo
Denichi MIZUNO Faculty of Pharmaceutical Sciences, University of Tokyo, Tokyo
Takehiko SHIMIZU National Institute of Animal Health, Kodaira
Ichirô TADOKORO Yokohama City University School of Medicine, Yokohama
Yukinori TSUNEMATSU The Institute of Medical Science, University of Tokyo, Tokyo
Hisao UETAKE Institute for Virus Research, Kyoto University, Kyoto
Kamesaburo YOSHINO The Institute of Medical Science, University of Tokyo, Tokyo

ASSOCIATE EDITORS

Keio AIZAWA
Zyun HIDAKA
Yuzuru HOMMA
Nakao ISHIDA
Shiro KATO
Toshisada MATSUMOTO
Susumu MITSUHASHI
Toyoho MUROHASHI
Manabu OGATA
Riichi SAKAZAKI
Masanori TAJIMA
Toru TSUMITA
Itaru WATANABE

Tsunehisa AMANO
Yorio HINUMA
Tosi Take IIDA
Kazuo IWATA
Yoshimi KAWADE
Tyoku MATUHASI
Tadashi MIYAKE
Rintaro NAKAYA
Haruo OZEKI
Hiroto SHIMOJO
Kenji TAKEYA
Hisao UCHIDA
Tsutomu WATANABE

Kôsaku FUJIWARA
Tokuzo HIRAI
Hiroshi IIZUKA
Juntaro KAMAHORA
Shôgo KUWAHARA
Minoru MATUMOTO
Ryosuke MURATA
Tokukiti NOJIMA
Kazuhisa SAITO
Isamu TAGAYA
Nobuo TANAKA
Hamao UMEZAWA
Ryo YANAGAWA

PUBLICATION OFFICE: Igaku Shoin Ltd., 5-29-11 Hongo, Bunkyo-ku, Tokyo, Japan. DISTRIBUTOR for Asia, Central and South America, Oceania, and Africa: Igaku Shoin Ltd., 5-29-11 Hongo, Bunkyo-ku, Tokyo, Japan.

DISTRIBUTOR for all Europe including The United Kingdom: Springer-Verlag, D-1000 Berlin 33, Heidelberger Platz 3, Postfach, Germany.

DISTRIBUTOR for U.S.A., and Canada: Springer-Verlag New York Inc., 175 Fifth Avenue, New York, N.Y. 10010, U.S.A.

ADVERTISING OFFICE: Igaku Shoin Ltd., 5-29-11 Hongo, Bunkyo-ku, Tokyo, Japan. SUBSCRIPTION PRICE (incl. postage): For Volume 15, 1971 (6 issues) US\$ 30.00. For a single issue US\$ 6.00. The subscription must be prepaid.

CONTENTS

Vol. 15, No. 1, January 1971

KAWATA, T., AND TAKUMI, K.	
Autolytic Enzyme System of Clostridium botulinum. I. Partial	
Purification and Characterization of an Autolysin of Clostridium	
botulinum Type A	1-10
MATSUMOTO, H., AND TAZAKI, T.	
Genetic Mapping of aro, pyr, and pur Markers in Klebsiella pneu-	
moniae	11-20
YABE, Y., AND MITSUHASHI, S.	
Replication and Transfer of the R Factor in a Synchronized Culture	
of Escherichia coli	21-27
Osawa, N., Saito, K., and Mitsuhashi, S.	
Transfer Agent of Immunity. V. Antibody Formation of Cultured	
Macrophages Treated with an Immune Ribonucleic Acid Prepa-	
ration	29-37
Yamagishi, S., Nakajima, Y., Inoue, M., and Oka, Y.	
Decrease in Accumulation of Macrolide Antibiotics as a Mechanism	
of Resistance in Staphylococcus aureus	39–52
Yoshino, K., Morishima, T., and Aoki, Y.	
Complement Requirement of Neutralizing Antibodies Appearing	
after Primary and Booster Immunizations with Herpes Simplex	
Virus	53–62
Yoshino, K., Morishima, T., and Aoki, Y.	
Absence of an All-or-None Type of Complement Requirement in	
Early Neutralizing Antibody against Western Equine Encepha-	CO 70
litis Virus	63–72
SAGARA, Y., FUKUI, K., OTA, F., YOSHIDA, N., KASHIYAMA, T., AND FUJI-	
MOTO, M.	
Rapid Formation of Protoplasts of Streptomyces griseoflavus and	70.04
Their Fine Structure	73–84
Hoshino, M. Induction of Interference and Interferon Production by Echovirus	
	85–91
Type 7	03-91

Notes:	
Matsuo, Y.	
Activity of Thiozamin [p-(p'-Aminobenzenesulfonyl)-Benzaldehyde Thiosemicarbazone] against Mycobacterium leprae Infections in	93–9
Mice	93-9
SHIMAMURA, T., AND NAKANO, M. Regulatory Effect of Specific Antibody on Anti-Bacterial Antibody	
Response to Salmonella in Mice	95-9
Nakano, M., Saito, K., and Shimizu, T.	
Relation between the Cell Wall Composition and Susceptibility of	
Salmonella typhimurium to Anti-Salmonella Substance Extracted	
from Mouse Spleens	99–10
Nakano, M., Shimamura, T., and Saito, K.	100 10
Adjuvancy of Endotoxin from Heptoseless Salmonella Mutants	102-104
TADAKUMA, T., WATANABE, S., MITSUMA, T., AND SAITO, K. In Vitro Demonstration of Suppression of the Efferent Site in Trans-	
plantation Immunity with Antilymphocyte Serum	105-108
Takei, M., Kobayashi, Y., Iwasaki, S., and Fujihashi, T.	100 100
Distribution of Lactobacilli in Oral Cavities	109-112
Vol. 15, No. 2, March 1971	
NAKAMURA, S., NII, F., SHIMIZU, M., AND WATANABE, I.	
Inhibition of Phage Growth by an Antibiotic Rugulosin Isolated from <i>Myrothecium verucaria</i> . I. Properties of the Anti-Phage	
Effect	113–120
NAKAMURA, S., NII, F., SHIMIZU, M., WATANABE, I., AND HARUNA, I.	
Inhibition of Phage Growth by an Antibiotic Rugulosin Isolated	191 196
from Myrothecium verucaria. II. The Mechanism of Action TAKUMI, K., KAWATA, T., AND HISATSUNE, K.	121-125
Autolytic Enzyme System of Clostridium botulinum. II. Mode of	
Action of Autolytic Enzymes in Clostridium botulinum Type A	131-141
SUTO, T., MORITA, M., HINUMA, Y., AND ISHIDA, N.	
High Incidence of Adults with Rubella Antibody in Northern	
Japan	143-147
Nakano, M., Shimamura, T., and Saito, K.	
Cellular Mechanisms of Adjuvant Action of Bacterial Lipopolysac-	140 150
charide in Anti-Sheep Red Blood Cell Antibody Response SAITO, K., OSAWA, N., AND MITSUHASHI, S.	149-158
Transfer Agent of Immunity. VI. Serial Passive Transfers of Cellu-	
lar Immunity to Salmonella Infection by Immune Ribonucleic Acid	159-168
Mikami, H., Kawakami, M., and Mitsuhashi, S.	
Transfer Agent of Immunity. VII. Partial Purification of Immune	
Ribonucleic Acid	160 174

Shibuta, H., Akami, M., and Matumoto, M.	
Plaque Formation by Sendai Virus of Parainfluenza Virus Group,	
Type 1 on Monkey, Calf Kidney and Chick Embryo Cell Mono-	
layers	175–183
SHIBUTA, H., YAMAURA, K., HIRANO, K., AND MATSUMOTO, M.	
Enhancement of ³² P Incorporation into Phospholipids in Cultured	
Cells by Sendai Virus of Parainfluenza Type 1	185–191
Notes:	
AZUMA, I., KISHIMOTO, S., YAMAMURA, Y. AND PETIT, J. F.	
Adjuvanticity of Mycobacterial Cell Walls	193-197
SHIMIZU, M., SAITO, T., AND MITSUHASHI, S.	
Macrolide Resistance in Staphylococcus aureus. Induction of Macro-	
lide Resistance by Erythromycin and Its Derivatives	198-200
Ohnishi, Y., Takade, A., and Takeya, K.	
Morphological Changes in Pseudomonas aeruginosa Treated with	
Rod-Shaped Pyocin 28	201–205
Vol. 15, No. 3, May 1971	
KAWANA, R., AND MATSUMOTO, I.	
Electron Microscopic Study of Rhinovirus Replication in Human	
Fetal Lung Cells	207-217
Kono, M., O'Hara, K., Nagawa, M., and Mitsuhashi, S.	20, 21,
Drug Resistance of Staphylococci. Ability of Chloramphenicol Re-	
lated Compounds to Induce Chloramphenicol Resistance in	
Staphylococcus aureus	219-227
Tsukamura, M.	
Relationship between Mycobacterium nonchromogenicum, Myco-	
bacterium terrae, Mycobacterium novum and Subgroup "V"	
(Mycobacterium triviale)	229-236
AZUMA, I., KIMURA, H., HIRAO, F., TSUBURA, E., YAMAMURA, Y., AND	
Misaki, A.	
Biochemical and Immunological Studies on Aspergillus. III. Chemi-	
cal and Immunological Properties of Glycopeptide Obtained from	
Aspergillus fumigatus	237–246
NAKASE, Y., AND KASUGA, T.	
Purified K-Agglutinogen of Bordetella pertussis and Its Properties	247–256
Ushiyama, R.	
Crystallization of Turnip Yellow Mosaic Virus in Wilted Leaves of	057 004
Cabbage by Treatment at High Temperature	257-204
Phosphorylated Inactivation of Aminoglycosidic Antibiotics by	
	265-272

Notes:	
TAKAYAMA, N., SAKURAI, N., AND NAKAYAMA, M.	
Secondary Response to Booster Injection of Alum-Precipitated	
Tetanus Toxoid	273–275
Miyazaki, K., Tsunoda, A., Kumasaka, M., and Ishida, N.	
Presence of Neutralizing Antibody against the 229E Strain of Co-	
ronavirus in the Sera of Residents of Sendai	276–277
Homma, M., Tozawa, H., Ishida, N., and Nakai, M.	
Lattice Arrangement of Nucleocapsids in the Cytoplasm of HeLa	
Cells Persistently Infected with Hemadsorption Type 2 Virus	
(HeLa/HA2)	278–280
HOMMA, M., KAMO, I., EBINA, T., HONDA, M., AND ISHIDA, N.	
Ultraviolet Inactivation of the Capacity to Induce Karyotypic	
Change by Hemadsorption Type 2 Virus	281–283
Vol. 15, No. 4, July 1971	
Nakamura, M., and Kohguchi, K.	
Morphological and Biological Changes Induced by Thallium Ace-	
tate in Escherichia coli	285-294
Kobayashi, F.	
Experimental Infection with Pseudomonas aeruginosa in Mice. I.	
The Virulence of Pseudomonas aeruginosa for Mice	295-300
Kobayashi, F.	
Experimental Infection with Pseudomonas aeruginosa in Mice. II.	
The Fate of Highly and Low Virulent Strains in the Peritoneal	
Cavity and Organs of Mice	301-307
NISHIMURA, C., AND TSUKEDA, H.	
Replication and Synthesis of Japanese Encephalitis Virus Ribonu-	
cleic Acids in Vero Cells	309-316
Goto, S., Enomoto, S., Takahashi, Y., and Motomatsu, R.	
Slime Production by Pseudomonas aeruginosa. I. Conditions for	
Slime Production by the Cellophane Plate Method	317-324
MINAGAWA, T.	
Studies on the Persistent Infection with Measles Virus in HeLa	
Cells. I. Clonal Analysis of Cells of Carrier Cultures	325-331
Minagawa, T.	
Studies on the Persistent Infection with Measles Virus in HeLa	
Cells. II. The Properties of Carried Virus	333-340
MINAGAWA, T., AND YAMADA, M.	
Studies on the Persistent Infection with Measles Virus in HeLa	
Cells, III. Immunolysis of Cells in Carrier State by Anti-Measles	

341-350


Sera

JODA, R., MATUMOTO, M., AND TABATA, L.	
Erythrocytes of Japanese Quail for Hemagglutination by Rubella	
Virus	331-33
Recombination between Mycobacterium smegmatis Strains Jucho	
and Lacticola	359-366
Odakura, Y., Tanaka, T., and Mitsuhashi, S.	
Drug-Resistance and Distribution of R Factors among Proteus	
Strains	307-372
Notes:	
AZUMA, I., NEGORO, S., KANETSUNA, F., YAMAMURA, Y., MIYAJI, H., AND	
MISAKI, A. Isolation and Properties of Mannans from Alternaria kikuchiana	
Tanaka and Alternaria zinniae	373-376
Kondo, W., Sato, N., Sato, M., and Ozawa, H.	0,0 0,0
An Anaerobic Oral Filamentous Organism Synthesizing Iodophilic	
Polysaccharide	377-380
Kobayashi, F., Yamaguchi, M., and Mitsuhashi, S.	
Inactivation of Dihydrostreptomycin by Pseudomonas aeruginosa	381–382
Vol. 15, No. 5, September 1971	
HIRANO, K., YAMAURA, K., SHIBUTA, H., AND MATUMOTO, M.	
Lipids of Sendai Virus and Changes in Cellular Phospholipid Syn-	909 900
thesis Caused by Infection	383-390
Enhancement of Rubella Virus Replication in Swine Testicle Cells	
by Co-Infection with Hog Cholera Virus	397-406
TSUKAMURA, M., MIZUNO, S., GANE, N. F. F., MILLS, A., AND KING, L.	
Mycobaeterium rhodesiae sp. nov. A New Species of Rapid-Growing	
Scotochromogenic Mycobacteria	407-416
CHIN, YM., AND HARMON, S. A.	41 100
Genetic Studies of Kanamycin Resistance in Staphylococcus aureus	417–423
Yoshikawa, M., Nagashima, S., and Matsushima, S. Genetical Distinction of R Factors Derived from Shigellae and Sal-	
monellae	425-436
SUZUKI, S., HATSUKAIWA, H., SUNAYAMA, H., AND HONDA, N.	200
Studies on the Antigenic Activities of Yeasts. VII. The Reaction	
between Concanavalin A and the Mannans Isolated from Five	
Species of Yeasts Including Two Serotypes of Candida and Sac-	10-
charomyces cerevisiae	437–442
GOTO, T., AND TANIGUCHI, T. Some Characters of Viruses Reconstituted with Components from	
Different Tobacco Mosaic Virus Strains	443_448
The state of the s	110-110

Sona K

Yabu, K.	
Aspartic Acid Transport in Mycobacterium smegmatis	449–456
Yokokura, T.	
Phage Receptor Material in <i>Lactobacillus casei</i> Cell Wall. I. Effect of L-Rhamnose on Phage Adsorption to the Cell Wall	.457–463
Kimura, S.	4CF 471
Responses of Calf Kidney Cells to Human Adenovirus Type 12	405-4/1
Notes:	
Yamashita, T., Moritsugu, Y., and Shimojo, H.	
Difference in Sensitivity to Suppression of Cellular DNA Synthesis	
by Ultraviolet-Irradiated Adenoviruses among Three Cell Types	473-476
YABUUCHI, E., AND OHYAMA, A.	
Achromobacter xylosoxidans n. sp. from Human Ear Discharge	477–481
Higashihara, M.	
Heat- and Acid-Labile Virus-Inhibiting Factor or Interferon In-	
duced by Rift Valley Fever Virus in Mice	482–484
Vol. 15, No. 6, November 1971	
SUZUKI, S., SUZUKI, M., AND IMAYA, M.	
Interferon Inducing Activity of Acidic Polysaccharides. I. Induction	
of Rabbit Serum Interferon by Hansenula Phosphomannans	485-492
TADAKUMA, T., WATANABE, K., MITSUMA, T., AND SAITO, K.	
Initiation of the Primary Immune Response to Sheep Red Blood	
Cells in the Dissociated Mouse Spleen Cell Culture. II. Histo-	
chemical Study on the Cell Clusters Developed during the In	
Vitro Immune Response	493–498
Hashimoto, K., Yoshikawa, M., Sugihara, Y., and Sasaki, S.	
Intestinal Resistance in the Experimental Enteric Infection of Mice	
with a Mouse Adenovirus. II. Determination of the Neutralizing	
Substance in the Intestinal Tract as an IgA Antibody	499–508
Arai, S., Hinuma, Y., Matsumoto, K., and Nakamura, T.	
Delayed Type Hpyersensitivity in Hamsters Infected with Myco-	
plasma pneumoniae as Revealed by Macrophage Migration In-	F00 F14
hibition Test	509-514
The Germination Requirements of Spores of Clostridium botuli-	
num Type E	515 595
Matsuo, Y.	010-040
The Multiplication of Mycobacterium leprae in Mouse Foot-Pads	
and the Ambient Temperatures	527-530

Morishita, Y., Mitsuoka, T., Kaneuchi, C., Yamamoto, S.,	
AND OGATA, M.	
Specific Establishment of Lactobacilli in the Digestive Tract of	
Germ-Free Chickens	531-538
Notes:	
Ishiwa, H., and Yokokura, T.	
A Lytic Enzyme(s) Acting on Lactobacilli	539-541
NAGANO, Y., MIZUNOE, K., MAEHARA, N., AND KUMAZAWA, Y.	
Induction of Virus-Inhibiting Factor or Interferon by Cell Fractions	
of Mycobacterium tuberculosis	542-544
KAWABE, H., AND MITSUHASHI, S.	
Inactivation of Dihydrostreptomycin by Staphylococcus aureus	545-548
Amano, Y., Takano, T., Takahashi, K., and Ishida, N.	
Fine Structure of Sendai Virus Nucleocapsid	549-551
Author Index	553-554
Subject Index	
Contents to Volume 15	





The Nikon Microscope Model L-Ke Designed especially for biological and medical work, this precision instrument

medical work, this precision instrument embodies all the features that the most critical research demands. Its incomparable optics provide magnification ratios extending from 20X to 1500X. The Nikon microscope system gives the L-Ke unprecedented versatility by providing such interchangeable accessories as revolving nosepieces, objectives, eyepieces, illuminators, stages and others. The stage can be lowered 71mm (2.695") to accommodate oversized specimens. The coaxial coarse- and fine-focusing knobs are low-positioned for maximum ease and convenience. Koehler illumination is used throughout the entire magnification range to provide even brightness and superb contrast over the whole field of view. Through the Nikon microscope system of interchangeability the Nikon Microscope Model L-Ke performs with equal efficiency in all types of microscopy: bright- and dark-field, phase contrast, polarizing, interference-phase, differential interference, photo/cinemicrography, etc.

(Nikon)

NIPPON KOGAKU K.K.

Nishikawa Bldg., Nihonbashi, Chuo-ku, Tokyo, Japan Tel: 272-3311